



Max. Heating Capacity (kW)											
	Ambient Temperature (°C)										
Water outlet(°C)	-20	-15	-10	-7	-5	0	2	7	10	15	20
35	8.45	9.28	10.20	10.70	11.07	11.74	12.10	14.95	14.40	15.50	16.90
45	8.09	8.89	9.76	10.35	10.71	11.30	11.65	13.10	12.60	14.30	15.75
50	7.62	8.46	9.30	9.86	10.21	11.06	11.40	12.95	11.27	12.00	13.30
55	7.29	8.10	8.90	9.40	9.73	10.86	11.20	12.60	11.10	11.60	12.80
60	6.30	7.04	7.77	8.23	8.53	9.57	9.88	11.16	9.45	10.00	11.00
65	5.95	6.69	7.42	7.88	8.18	8.39	8.67	9.84	8.80	9.30	10.10
75	/	/	/	7.25	7.53	7.72	7.98	9.05	8.10	8.56	9.29

Power Input (kW)											
	Ambient Temperature (°C)										
Water outlet(°C)	-20	-15	-10	-7	-5	0	2	7	10	15	20
35	3.67	3.78	3.90	4.06	4.08	3.82	3.83	3.85	3.60	3.30	3.38
45	4.09	4.22	4.35	4.56	4.60	4.42	4.45	4.45	3.85	3.55	3.60
50	4.14	4.27	4.40	4.58	4.64	4.68	4.75	4.80	3.80	3.51	3.54
55	4.52	4.66	4.80	4.85	4.90	5.06	5.10	5.20	4.01	3.72	3.75
60	4.63	4.77	4.90	4.95	5.00	5.15	5.18	5.28	3.85	3.50	3.55
65	4.98	5.12	5.25	5.30	5.35	5.16	5.19	5.28	4.08	3.70	3.76
75	/	/	/	5.67	5.72	5.52	5.55	5.65	4.36	3.96	4.02

COP(kW/kW)											
	Ambient Temperature (°C)										
Water outlet(°C)	-20	-15	-10	-7	-5	0	2	7	10	15	20
35	2.30	2.45	2.62	2.64	2.71	3.07	3.16	3.88	4.00	4.70	5.00
45	1.98	2.11	2.24	2.27	2.33	2.56	2.62	2.94	3.27	4.03	4.38
50	1.84	1.98	2.11	2.15	2.20	2.36	2.40	2.70	2.97	3.42	3.76
55	1.61	1.74	1.85	1.94	1.99	2.15	2.20	2.42	2.77	3.12	3.41
60	1.36	1.48	1.59	1.66	1.71	1.86	1.91	2.11	2.45	2.86	3.10
65	1.19	1.31	1.41	1.49	1.53	1.63	1.67	1.86	2.16	2.51	2.69
75	/	/	/	1.28	1.32	1.40	1.44	1.60	1.85	2.16	2.31



Wärmepumpe EEI 723

400 V



Max. Heating Capacity (kW)											
Ambient Temperature (°C)											
Water outlet(°C)	-20	-15	-10	-7	-5	0	2	7	10	15	20
35	12.10	13.80	14.90	16.13	17.09	18.42	19.51	22.00	23.80	23.36	24.63
45	11.10	12.06	13.97	15.83	16.53	17.13	18.30	21.69	23.55	21.04	21.94
50	9.78	11.35	13.52	14.65	15.30	16.92	17.93	21.41	23.23	19.07	20.13
55	9.56	11.12	13.34	14.47	15.13	16.75	17.68	20.60	22.36	18.71	19.72
60	8.72	10.04	11.56	12.76	13.53	15.46	16.87	18.71	20.45	16.67	17.57
65	8.21	9.58	11.16	12.21	12.94	14.14	15.19	17.52	18.59	14.58	15.66
75	/	/	/	10.74	11.39	12.44	13.37	15.42	16.36	12.83	13.78

Power Input (kW)											
Ambient Temperature (°C)											
Water outlet(°C)	-20	-15	-10	-7	-5	0	2	7	10	15	20
35	5.23	5.13	5.03	5.25	5.33	5.21	5.25	5.32	5.35	4.51	4.52
45	5.50	5.74	5.99	6.39	6.40	6.01	6.24	6.26	6.30	4.98	5.00
50	5.79	5.84	6.06	6.40	6.48	6.55	6.71	6.84	6.90	5.36	5.37
55	6.10	6.12	6.15	6.49	6.55	6.72	6.93	6.98	7.14	5.65	5.66
60	6.19	6.20	6.21	6.65	6.70	6.81	7.15	7.30	7.42	5.72	5.73
65	6.81	6.91	7.01	7.06	7.18	6.40	6.42	6.44	6.45	4.64	4.68
75	/	/	/	7.86	8.00	7.13	7.15	7.17	7.18	5.17	5.21

COP(kW/kW)											
Ambient Temperature (°C)											
Water outlet(°C)	-20	-15	-10	-7	-5	0	2	7	10	15	20
35	2.31	2.69	2.97	3.07	3.21	3.54	3.72	4.13	4.44	5.18	5.45
45	2.02	2.10	2.33	2.48	2.58	2.85	2.93	3.47	3.74	4.23	4.39
50	1.69	1.94	2.23	2.29	2.36	2.58	2.67	3.13	3.37	3.56	3.75
55	1.57	1.81	2.17	2.23	2.31	2.49	2.55	2.95	3.13	3.31	3.48
60	1.41	1.62	1.86	1.92	2.02	2.27	2.36	2.56	2.75	2.91	3.06
65	1.21	1.39	1.59	1.73	1.80	2.21	2.37	2.72	2.88	3.14	3.35
75	/	/	/	1.37	1.42	1.75	1.87	2.15	2.28	2.48	2.65

